




## Accutek X-Long End Mill Holder and X-Long Shell Mill Holder

CAT40 Extra-long Reach End Mill Holders with coolant through




Manufactured with High-Quality, High Carbon Steel for Higher Rigidity

Accutek Cat. No.	Accutek Description	D	L	R (GL)	TAPER	B	E	S.S.	Accutek List
84240720XL	CAT40-EMHXL .125-4	0.125	6.68	4.00	CAT-40	0.38	0.56	#6-32 X 3/32	\$ 214.00
84240730XL	CAT40-EMHXL .125-6	0.125	8.68	6.00	CAT-40	0.38	0.7	#6-32 X 3/32	\$ 278.00
84240746XL	CAT40-EMHXL .125-9	0.125	11.68	9.00	CAT-40	0.38	0.91	#6-32 X 3/32	\$ 315.00
84240920XL	CAT40-EMHXL .187-4	0.187	6.68	4.00	CAT-40	0.44	0.62	#10-32 X 1/8	\$ 204.00
84240930XL	CAT40-EMHXL .187-6	0.187	8.68	6.00	CAT-40	0.44	0.76	#10-32 X 1/8	\$ 255.00
84240946XL	CAT40-EMHXL .187-9	0.187	11.68	9.00	CAT-40	0.44	0.97	#10-32 X 1/8	\$ 315.00
84241120XL	CAT40-EMHXL .250-4	0.25	6.68	4.00	CAT-40	0.5	0.68	#10-32 X 1/8	\$ 204.00
84241130XL	CAT40-EMHXL .250-6	0.25	8.68	6.00	CAT-40	0.5	0.82	#10-32 X 1/8	\$ 255.00
84241146XL	CAT40-EMHXL .250-9	0.25	11.68	9.00	CAT-40	0.5	1.03	#10-32 X 1/8	\$ 315.00
84241320XL	CAT40-EMHXL .312-4	0.312	6.68	4.00	CAT-40	0.56	0.74	1/4-28 X 1/8	\$ 204.00
84241330XL	CAT40-EMHXL .312-6	0.312	8.68	6.00	CAT-40	0.56	0.88	1/4-28 X 1/8	\$ 255.00
84241346XL	CAT40-EMHXL .312-9	0.312	11.68	9.00	CAT-40	0.56	1.09	1/4-28 X 1/8	\$ 315.00
84242620XL	CAT40-EMHXL .375-4	0.375	6.68	4.00	CAT-40	0.75	0.92	5/16-24 X 5/32	\$ 204.00
84242630XL	CAT40-EMHXL .375-6	0.375	8.68	6.00	CAT-40	0.75	1.06	5/16-24 X 5/32	\$ 255.00
84242646XL	CAT40-EMHXL .375-9	0.375	11.68	9.00	CAT-40	0.75	1.27	5/16-24 X 5/32	\$ 315.00
84242720XL	CAT40-EMHXL .437-4	0.437	6.68	4.00	CAT-40	0.81	0.98	3/8-24 X 3/16	\$ 240.00
84242730XL	CAT40-EMHXL .437-6	0.437	8.68	6.00	CAT-40	0.81	1.12	3/8-24 X 3/16	\$ 255.00
84242746XL	CAT40-EMHXL .437-9	0.437	11.68	9.00	CAT-40	0.81	1.33	3/8-24 X 3/16	\$ 315.00
84241520XL	CAT40-EMHXL .500-4	0.5	6.68	4.00	CAT-40	0.88	1.05	7/16-20 X 7/32	\$ 204.00
84241530XL	CAT40-EMHXL .500-6	0.5	8.68	6.00	CAT-40	0.88	1.19	7/16-20 X 7/32	\$ 255.00
84241546XL	CAT40-EMHXL .500-9	0.5	11.68	9.00	CAT-40	0.88	1.4	7/16-20 X 7/32	\$ 315.00
84243320XL	CAT40-EMHXL .562-4	0.562	6.68	4.00	CAT-40	0.94	1.11	1/2-20 X 1/4	\$ 240.00
84243330XL	CAT40-EMHXL .562-6	0.562	8.68	6.00	CAT-40	0.94	1.25	1/2-20 X 1/4	\$ 255.00
84243346XL	CAT40-EMHXL .562-9	0.562	11.68	9.00	CAT-40	0.94	1.46	1/2-20 X 1/4	\$ 315.00
84241720XL	CAT40-EMHXL .625-4	0.625	6.68	4.00	CAT-40	1.06	1.23	1/2-20 X 1/4	\$ 204.00
84241730XL	CAT40-EMHXL .625-6	0.625	8.68	6.00	CAT-40	1.06	1.37	1/2-20 X 1/4	\$ 255.00
84241746XL	CAT40-EMHXL .625-9	0.625	11.68	9.00	CAT-40	1.06	1.58	1/2-20 X 1/4	\$ 315.00
84242820	CAT40-EMH .750-4	0.75	6.68	4.00	CAT-40	1.19	1.36	1/2-20 X 1/4	\$ 160.00
84242830XL	CAT40-EMHXL .750-6	0.75	8.68	6.00	CAT-40	1.19	1.5	1/2-20 X 1/4	\$ 255.00
84242846XL	CAT40-EMHXL .750-9	0.75	11.68	9.00	CAT-40	1.19	1.71	1/2-20 X 1/4	\$ 315.00
84241929	CAT40-EMH .875-5.75	0.875	6.68	5.75	CAT-40	1.31	1.48	5/8-18 X 5/16	\$ 137.00
84241930XL	CAT40-EMHXL .875-6	0.875	8.68	6.00	CAT-40	1.31	1.62	5/8-18 X 5/16	\$ 255.00
84241946XL	CAT40-EMHXL .875-9	0.875	11.68	9.00	CAT-40	1.31	1.75	5/8-18 X 5/16	\$ 315.00
84242120XL	CAT40-EMHXL 1.000-4	1	6.68	4.00	CAT-40	1.62	1.75	5/8-18 X 5/16	\$ 204.00
84242130XL	CAT40-EMHXL 1.000-6	1	8.68	6.00	CAT-40	1.62	1.75	5/8-18 X 5/16	\$ 255.00
84242146XL	CAT40-EMHXL 1.000-9	1	11.68	9.00	CAT-40	1.62	1.75	5/8-18 X 5/16	\$ 321.00
84242222	CAT40-EMH 1.250-4.25	1.25	6.68	4.25	CAT-40	1.75	2.04	5/8-18 X 5/16	\$ 148.00
84242230XL	CAT40-EMHXL 1.250-6	1.25	8.68	6.00	CAT-40	1.75	2.18	5/8-18 X 5/16	\$ 255.00
84242246XL	CAT40-EMHXL 1.250-9	1.25	11.68	9.00	CAT-40	1.75	2.39	5/8-18 X 5/16	\$ 331.00



## Accutek X-Long End Mill Holder and X-Long Shell Mill Holder

CAT50 Extra-long Reach End Mill Holders with coolant through




Manufactured with High-Quality, High Carbon Steel for Higher Rigidity

Accutek Cat. No.	Accutek Description	D	L	R (GL)	TAPER	B	E	S.S.	Accutek List
84260730XL	CAT50-EMHXL .125-6	0.125	10	6.00	CAT-50	0.39	0.71	#6-32 X 3/32	\$ 425.00
84260746XL	CAT50-EMHXL .125-9	0.125	13	9.00	CAT-50	0.39	0.92	#6-32 X 3/32	\$ 450.00
84260930XL	CAT50-EMHXL .187-6	0.187	10	6.00	CAT-50	0.44	0.76	#10-32 X 1/8	\$ 350.00
84260946XL	CAT50-EMHXL .187-9	0.187	13	9.00	CAT-50	0.44	0.99	#10-32 X 1/8	\$ 450.00
84261130XL	CAT50-EMHXL .250-6	0.25	10	6.00	CAT-50	0.5	0.82	#10-32 X 1/8	\$ 350.00
84261146XL	CAT50-EMHXL .250-9	0.25	13	9.00	CAT-50	0.5	1.03	#10-32 X 1/8	\$ 450.00
84261161XL	CAT50-EMHXL .250-12	0.25	16	12.00	CAT-50	0.5	1.24	#10-32 X 1/8	\$ 487.00
84261176XL	CAT50-EMHXL .250-15	0.25	19	15.00	CAT-50	0.5	1.45	#10-32 X 1/8	\$ 525.00
84261330XL	CAT50-EMHXL .312-6	0.312	10	6.00	CAT-50	0.56	0.88	1/4-28 X 1/8	\$ 340.00
84261346XL	CAT50-EMHXL .312-9	0.312	13	9.00	CAT-50	0.56	1.09	1/4-28 X 1/8	\$ 450.00
84261361XL	CAT50-EMHXL .312-12	0.312	16	12.00	CAT-50	0.56	1.3	1/4-28 X 1/8	\$ 487.00
84261376XL	CAT50-EMHXL .312-15	0.312	19	15.00	CAT-50	0.56	1.51	1/4-28 X 1/8	\$ 525.00
84262630XL	CAT50-EMHXL .375-6	0.375	10	6.00	CAT-50	0.75	1.06	5/16-24 X 5/32	\$ 340.00
84262646XL	CAT50-EMHXL .375-9	0.375	13	9.00	CAT-50	0.75	1.27	5/16-24 X 5/32	\$ 450.00
84262661XL	CAT50-EMHXL .375-12	0.375	16	12.00	CAT-50	0.75	1.48	5/16-24 X 5/32	\$ 487.00
84262676XL	CAT50-EMHXL .375-15	0.375	19	15.00	CAT-50	0.75	1.69	5/16-24 X 5/32	\$ 525.00
84262730XL	CAT50-EMHXL .437-6	0.437	10	6.00	CAT-50	0.81	1.13	3/8-24 X 3/16	\$ 340.00
84262746XL	CAT50-EMHXL .437-9	0.437	13	9.00	CAT-50	0.81	1.34	3/8-24 X 3/16	\$ 450.00
84262761XL	CAT50-EMHXL .437-12	0.437	16	12.00	CAT-50	0.81	1.55	3/8-24 X 3/16	\$ 487.00
84262776XL	CAT50-EMHXL .437-15	0.437	19	15.00	CAT-50	0.81	1.76	3/8-24 X 3/16	\$ 525.00
84261530XL	CAT50-EMHXL .500-6	0.5	10	6.00	CAT-50	0.88	1.19	7/16-20 X 7/32	\$ 435.00
84261546XL	CAT50-EMHXL .500-9	0.5	13	9.00	CAT-50	0.88	1.4	7/16-20 X 7/32	\$ 450.00
84261561XL	CAT50-EMHXL .500-12	0.5	16	12.00	CAT-50	0.88	1.61	7/16-20 X 7/32	\$ 487.00
84261576XL	CAT50-EMHXL .500-15	0.5	19	15.00	CAT-50	0.88	1.82	7/16-20 X 7/32	\$ 546.00
84261730XL	CAT50-EMHXL .625-6	0.625	10	6.00	CAT-50	1.06	1.37	1/2-20 X 1/4	\$ 310.00
84261746XL	CAT50-EMHXL .625-9	0.625	13	9.00	CAT-50	1.06	1.58	1/2-20 X 1/4	\$ 450.00
84261761XL	CAT50-EMHXL .625-12	0.625	16	12.00	CAT-50	1.06	1.79	1/2-20 X 1/4	\$ 487.00
84261776XL	CAT50-EMHXL .625-15	0.625	19	15.00	CAT-50	1.06	2	1/2-20 X 1/4	\$ 546.00
84262830	CAT50-EMHXL .750-6	0.75	10	6.00	CAT-50	1.19	1.5	1/2-20 X 1/4	\$ 310.00
84262846XL	CAT50-EMHXL .750-9	0.75	13	9.00	CAT-50	1.19	1.71	1/2-20 X 1/4	\$ 450.00
84262861XL	CAT50-EMHXL .750-12	0.75	16	12.00	CAT-50	1.19	1.92	1/2-20 X 1/4	\$ 487.00
84262876XL	CAT50-EMHXL .750-15	0.75	19	15.00	CAT-50	1.19	2.13	1/2-20 X 1/4	\$ 557.00
84261930XL	CAT50-EMHXL .875-6	0.875	10	6.00	CAT-50	1.43	1.62	5/8-18 X 5/16	\$ 340.00
84261946XL	CAT50-EMHXL .875-9	0.875	13	9.00	CAT-50	1.43	1.83	5/8-18 X 5/16	\$ 450.00
84261961XL	CAT50-EMHXL .875-12	0.875	16	12.00	CAT-50	1.43	2.04	5/8-18 X 5/16	\$ 487.00
84261976XL	CAT50-EMHXL .875-15	0.875	19	15.00	CAT-50	1.43	2.25	5/8-18 X 5/16	\$ 562.00
84262130XL	CAT50-EMHXL 1.000-6	1	10	6.00	CAT-50	1.62	1.93	5/8-18 X 5/16	\$ 445.00
84262146XL	CAT50-EMHXL 1.000-9	1	13	9.00	CAT-50	1.62	2.13	5/8-18 X 5/16	\$ 482.00



## Accutek X-Long End Mill Holder and X-Long Shell Mill Holder


CAT50 Extra-long Reach End Mill Holders with coolant through



Manufactured with High-Quality, High Carbon Steel for Higher Rigidity

Accutek Cat. No.	Accutek Description	D	L	R (GL)	TAPER	B	E	S.S.	Accutek List
84262161XL	CAT50-EMHXL 1.000-12	1	16	12.00	CAT-50	1.62	2.34	5/8-18 X 5/16	\$ 525.00
84262176XL	CAT50-EMHXL 1.000-15	1	19	15.00	CAT-50	1.62	2.55	5/8-18 X 5/16	\$ 573.00
84262230	CAT50-EMH 1.250-6	1.25	10	6.00	CAT-50	1.88	2.19	5/8-18 X 5/16	\$ 280.00
84262246XL	CAT50-EMHXL 1.250-9	1.25	13	9.00	CAT-50	1.88	2.39	5/8-18 X 5/16	\$ 498.00
84262261XL	CAT50-EMHXL 1.250-12	1.25	16	12.00	CAT-50	1.88	2.6	5/8-18 X 5/16	\$ 530.00
84262276XL	CAT50-EMHXL 1.250-15	1.25	19	15.00	CAT-50	1.88	2.75	5/8-18 X 5/16	\$ 568.00
84262330	CAT50-EMH 1.500-6	1.5	10	6.00	CAT-50	2.25	2.55	3/4-16 X 3/8	\$ 305.00
84262346XL	CAT50-EMHXL 1.500-9	1.5	13	9.00	CAT-50	2.25	2.75	3/4-16 X 3/8	\$ 498.00
84262361XL	CAT50-EMHXL 1.500-12	1.5	16	12.00	CAT-50	2.25	2.96	3/4-16 X 3/8	\$ 530.00
84262376XL	CAT50-EMHXL 1.500-15	1.5	19	15.00	CAT-50	2.25	3.17	3/4-16 X 3/8	\$ 575.00
84262930XL	CAT50-EMHXL 2.000-6	2	10	6.00	CAT-50	3.19	3.46	1-14 X 3/4	\$ 415.00
84262946XL	CAT50-EMHXL 2.000-9	2	13	9.00	CAT-50	3.19	3.66	1-14 X 3/4	\$ 515.00
84262961XL	CAT50-EMHXL 2.000-12	2	16	12.00	CAT-50	3.19	3.86	1-14 X 3/4	\$ 650.00
84262976XL	CAT50-EMHXL 2.000-15	2	19	15.00	CAT-50	3.19	3.86	1-14 X 3/4	\$ 785.00
84263136XL	CAT50-EMHXL 2.500-7	2.5	11	7.00	CAT-50	4.5	4.5	1-14 X 3/4	\$ 425.00

CAT40 and CAT50 Extra-long Reach Shell Mill Holders with coolant through



Manufactured with High-Quality, High Carbon Steel for Higher Rigidity

ACCUTEK Cat. No.	Accutek Description	P	K	TAPPED HOLE	R (GL)	TAPER	B	Accutek List
81245025XL	CAT40-SMHXL .500-5	0.5	0.25	1/4"-28	5.00	CAT-40	1.25	\$ 236.00
81245041XL	CAT40-SMHXL .500-8	0.5	0.25	1/4"-28	8.00	CAT-40	1.25	\$ 327.00
812675S20XL	CAT-40-SMHXL .750-4S	0.75	0.312	3/8"-24	4.00	CAT-40	1.4	\$ 273.00
812675S30XL	CAT40-SMHXL .750-6S	0.75	0.312	3/8"-24	6.00	CAT-40	1.4	\$ 311.00
812675S46XL	CAT40-SMHXL .750-9S	0.75	0.312	3/8"-24	9.00	CAT-40	1.4	\$ 348.00
812675W20XL	CAT40-SMHXL .750-4W	0.75	0.312	3/8"-24	4.00	CAT-40	1.9	\$ 273.00
812675W30XL	CAT40-SMHXL .750-6W	0.75	0.312	3/8"-24	6.00	CAT-40	1.9	\$ 311.00
812675W46XL	CAT40-SMHXL .750-9W	0.75	0.312	3/8"-24	9.00	CAT-40	1.9	\$ 348.00
81247561XL	CAT40-SMHXL 0.750-12.00	0.75	0.312	3/8"-24	12.00	CAT40	1.9	\$ 423.00
81241020XL	CAT40-SMHXL1.000-4	1	0.375	1/2"-20	4.00	CAT-40	2.4	\$ 241.00
81241030XL	CAT40-SMHXL1.000-6	1	0.375	1/2"-20	6.00	CAT-40	2.4	\$ 311.00
81241046XL	CAT40-SMHXL1.000-9	1	0.375	1/2"-20	9.00	CAT-40	2.4	\$ 348.00
81241220XL	CAT40-SMHXL1.250-4	1.25	0.5	5/8"-18	4.00	CAT-40	2.9	\$ 188.00
81241230XL	CAT40-SMHXL1.250-6	1.25	0.5	5/8"-18	6.00	CAT-40	2.9	\$ 315.00
81241246XL	CAT40-SMHXL1.250-9	1.25	0.5	5/8"-18	9.00	CAT-40	2.9	\$ 348.00
80241520XL	CAT40-SMHXL1.500-4	1.5	0.625	3/4"-16	4.00	CAT-40	3.88	\$ 241.00
80242017XL	CAT40-SMHXL 2.00-3.25	2	0.75	1"-14	3.25	CAT-40	4	\$ 255.00




## **Accutek X-Long End Mill Holder and X-Long Shell Mill Holder**



## Accutek X-Long End Mill Holder and X-Long Shell Mill Holder

CAT40 and CAT50 Extra-long Reach Shell Mill Holders with coolant through



Manufactured with High-Quality, High Carbon Steel for Higher Rigidity


ACCUTEK Cat. No.	Accutek Description	P	K	TAPPED HOLE	R (GL)	TAPER	B	Accutek List
81265030XL	CAT50-SMHXL .500-6	0.5	0.25	1/4"-28	6.00	CAT-50	1.25	\$ 423.00
81265046XL	CAT50-SMHXL .500-9	0.5	0.25	1/4"-28	9.00	CAT-50	1.25	\$ 482.00
81267520XL	CAT50-SMHXL .750-4	0.75	0.312	3/8"-24	4.00	CAT-50	1.9	\$ 310.00
81267530XL	CAT50-SMHXL .750-6	0.75	0.312	3/8"-24	6.00	CAT-50	1.9	\$ 402.00
81267546XL	CAT50-SMHXL .750-9	0.75	0.312	3/8"-24	9.00	CAT-50	1.9	\$ 482.00
81267561XL	CAT50-SMHXL .750-12	0.75	0.312	3/8"-24	12.00	CAT-50	1.9	\$ 525.00
81267576XL	CAT50-SMHXL .750-15	0.75	0.312	3/8"-24	15.00	CAT-50	1.9	\$ 600.00
81261030	CAT50-SMH 1.000-6	1	0.375	1/2"-20	6.00	CAT-50	2.4	\$ 323.00
81261036XL	CAT50-SMHXL 1.000-7	1	0.375	1/2"-20	7.00	CAT-50	2.4	\$ 471.00
81261051XL	CAT50-SMHXL 1.000-10	1	0.375	1/2"-20	10.00	CAT-50	2.4	\$ 514.00
81261061XL	CAT50-SMHXL 1.000-12	1	0.375	1/2"-20	12.00	CAT-50	2.4	\$ 530.00
81261076XL	CAT50-SMHXL 1.000-15	1	0.375	1/2"-20	15.00	CAT-50	2.4	\$ 600.00
81261230	CAT50-SMH 1.250-6	1.25	0.5	5/8"-18	6.00	CAT-50	2.9	\$ 327.00
81261246XL	CAT50-SMHXL 1.250-9	1.25	0.5	5/8"-18	9.00	CAT-50	2.9	\$ 477.00
81261261XL	CAT50-SMHXL 1.250-12	1.25	0.5	5/8"-18	12.00	CAT-50	2.9	\$ 525.00
81261276XL	CAT50-SMHXL 1.250-15	1.25	0.5	5/8"-18	15.00	CAT-50	2.9	\$ 600.00
80261530	CAT50-SMH 1.500-6	1.5	0.625	3/4"-16	6.00	CAT-50	3.88	\$ 389.00
80261541XL	CAT50-SMHXL 1.500-8	1.5	0.625	3/4"-16	8.00	CAT-50	3.88	\$ 466.00
80261561XL	CAT50-SMHXL 1.500-12	1.5	0.625	3/4"-16	12.00	CAT-50	3.88	\$ 589.00
80261576XL	CAT50-SMHXL 1.500-15	1.5	0.625	3/4"-16	15.00	CAT-50	3.88	\$ 626.00
80262030XL	CAT50-SMHXL 2.000-6	2	1	1"-14	6.00	CAT-50	4.38	\$ 550.00
80262061XL	CAT50-SMHXL 2.000-12	2	1	1"-14	12.00	CAT-50	4.38	\$ 599.00
802625F20	CAT50-FMH 2.500-4	2.5	2.5	5/8-18 4" BHC	4.00	CAT-50	4.9	\$ 553.00
802625F41XL	CAT50-FMHXL 2.500-8	2.5	2.5	5/8-18 4" BHC	8.00	CAT-50	4.9	\$ 635.00



## Accutek X-Long End Mill Holder and X-Long Shell Mill Holder

### Shell Mill Arbor Screws

For use with Shell Mill holders – Standard and AccuKool™ style



**Match the correct Shell Mill Arbor Screw with the proper Shell Mill C'Bore Mounting Hole size**

Catalog Number	Description	Coolant Style	Cutter Pilot Size	Ø D	L	L1	L2	T
9615006	SMLS-050	Standard	0.500	0.656	1.34	1.00	0.340	1/4"-28
9615006CS	SMLS-CS-050	AccuKool	0.500	0.656	1.34	1.00	0.340	1/4"-28
9615006CD	SMLS-CD-050	AccuKool	0.500	0.656	1.38	1.00	0.380	1/4"-28
9615006-SM	SMLS-050-SM	Small Head Standard	0.500	0.394	1.34	1.00	0.340	1/4"-28
9615006CS-SM	SMLS-CS-050-SM	Small Head AccuKool	0.500	0.394	1.34	1.00	0.340	1/4"-28
9615006CD-SM	SMLS-CD-050-SM	Small Head AccuKool	0.500	0.394	1.38	1.00	0.380	1/4"-28
9617507	SMLS-075	Standard	0.750	0.875	1.80	1.43	0.370	3/8"-24
9617507CS	SMLS-CS-075	AccuKool	0.750	0.875	1.80	1.43	0.370	3/8"-24
9617507CD	SMLS-CD-075	AccuKool	0.750	0.875	1.80	1.37	0.430	3/8"-24
9617507-SM	SMLS-075-SM	Small Head Standard	0.750	0.625	1.80	1.43	0.370	3/8"-24
9617507CS-SM	SMLS-CS-075-SM	Small Head AccuKool	0.750	0.625	1.80	1.43	0.370	3/8"-24
9617507CD-SM	SMLS-CD-075-SM	Small Head AccuKool	0.750	0.625	1.80	1.30	0.500	3/8"-24
9611008	SMLS-100	Standard	1.000	1.190	1.62	1.25	0.370	1/2"-20
9611008CS	SMLS-CS-100	AccuKool	1.000	1.190	1.62	1.25	0.370	1/2"-20
9611008CD	SMLS-CD-100	AccuKool	1.000	1.190	1.68	1.25	0.430	1/2"-20
9611008-SM	SMLS-100-SM	Small Head Standard	1.000	0.750	1.62	1.25	0.370	1/2"-20
9611008CS-SM	SMLS-CS-100-SM	Small Head AccuKool	1.000	0.750	1.62	1.25	0.370	1/2"-20
9611008CD-SM	SMLS-CD-100-SM	Small Head AccuKool	1.000	0.750	1.70	1.20	0.500	1/2"-20
9611209	SMLS-125	Standard	1.250	1.500	1.44	0.94	0.500	5/8"-18
9611209CS	SMLS-CS-125	AccuKool	1.250	1.500	1.44	0.94	0.500	5/8"-18
9611209CD	SMLS-CD-125	AccuKool	1.250	1.500	1.49	0.94	0.550	5/8"-18
9611209-SM	SMLS-125-SM	Small Head Standard	1.250	0.940	1.44	0.94	0.500	5/8"-18
9611209CS-SM	SMLS-CS-125-SM	Small Head AccuKool	1.250	0.940	1.44	0.94	0.500	5/8"-18
9611209CD-SM	SMLS-CD-125-SM	Small Head AccuKool	1.250	0.940	1.54	1.00	0.560	5/8"-18
9611510	SMLS-150	Standard	1.500	1.875	1.63	1.13	0.500	3/4"-16
9611510CS	SMLS-CS-150	AccuKool	1.500	1.875	1.63	1.13	0.500	3/4"-16
9611510CD	SMLS-CD-150	AccuKool	1.500	1.875	1.68	1.13	0.550	3/4"-16
9612011	SMLS-200	Standard	2.000	2.400	1.81	1.31	0.500	1"-14
9612011CS	SMLS-CS-200	AccuKool	2.000	2.400	1.81	1.31	0.500	1"-14
9612011CD	SMLS-CD-200	AccuKool	2.000	2.400	1.88	1.33	0.550	1"-14
9612511	SMLS-250	AccuKool	2.500	3.100	2.00	1.50	0.500	1"-14
9612511CS	SMLS-CS-250	AccuKool	2.500	3.100	2.00	1.50	0.500	1"-14
9612511CD	SMLS-CD-250	AccuKool	2.500	3.100	2.05	1.50	0.550	1"-14